

**RECEIVED  
CENTRAL FAX CENTER**

**FEB 10 2006**

CUSTOMER NO. 32.986  
IP STRATEGY GROUP, P.C.  
Intellectual Property Law Office  
P.O. Box 700640  
San Jose, CA 95170-0640

PATENT APPLICATION  
ATTORNEY DOCKET NO. LMRX- P026/P1068

**IN THE  
UNITED STATES PATENT & TRADEMARK OFFICE**

Applicant: Hao et al.

Examiner: Jimenez, Marc

Application No. 10/672,085

Group No. 3726

Filed: September 26, 2003

Confirmation No. 7062

Title: METHODS AND APPARATUS FOR  
OPTIMIZING THE DELIVERY OF  
A SET OF GASES IN A PLASMA PROCESSING  
SYSTEM

**CERTIFICATE OF FACSIMILE TRANSMISSION**  
I hereby certify that this correspondence is being faxed to the  
USPTO at 571-273-8300 on February 10, 2006.  
1 PAGE TOTAL (inclusive).

Signed: /Alma Fazlic/  
Alma Fazlic

**RESPONSE TO COMMUNICATION MAILED 12/14/2005**

Commissioner for Patents  
P. O. Box 1450  
Alexandria, VA 22313-1450

Dear Examiner:

In response to the Restriction Requirement dated December 14, 2005, Applicants hereby elect, with traverse, Group I claims 1-29 to prosecute in the above-identified patent application. Further, Applicants elect Species A (metal conduit is stainless steel), Species D (thermoplastic tubular is PTFE), and Species I (resin material is PTFE) for prosecution in the above-identified patent application. Applicants consider the claims that recite, in the manner claimed in claims 1 and 19 (such as the generic metal conduit, the generic thermoplastic, and the generic resin material) to be patentable. Accordingly, while Species A, D, and I are selected for prosecution purposes, the allowance of the generic claim should render all species allowable.

If any fees are due in connection with the filing of this Response to Restriction Requirement, the Commission is hereby authorized to charge such fees to Deposit Account No. 50-2284 (Order No. LMRX-P026).

Respectfully submitted,

/Joseph A. Nguyen/ Reg. No. 37,899

Joseph A. Nguyen